



Xingtai Honglei Seal Manufacturing Co., Ltd.

Datuntou-Julu County, Xingtai City, Hebei Province, China

Email: cherry@china-oilseals.com Mobile/WhatsApp/Wechat: +86 186 3194 1066

KDIK OIL SEALS COMBI Oil Seal

CODE:	SIZE	TYPE	CORTECO / NOK CODE
1	30*42*14	COMBI	12001878B
2	30*44*11	COMBI	12001879B
3	30*44*14	COMBI SF13	12013519B
4	30*44*17	COMBI	12020067B
5	32*50*10	COMBI SF14	
6	32*50*14	COMBI SF14	12013914B
7	35*50*10	COMBI	12001881B
8	35*50*13	COMBI	12013947B
9	35*52*10	COMBI	12011716B
10	35*52*16	COMBI	12001882B
11	35*52*16	COMBI	12013466B
12	35*52*16	COMBI	12015717B
13	35*52*17/18.5	COMBI SF	12019673B
14	35*60*18.5	COMBI	12014167B
15	35*62*12	COMBI	12012786B
16	35*72*12	COMBI	12001883B
17	37*52*16	COMBI	12014511B
18	40*55*10	COMBI	12001886B
19	40*55*15.5	COMBI	12018848B
20	40*58*10	COMBI	12001887B
21	40*60*18.5	COMBI SF6	12012107B
22	40*60*25	COMBI	12016289B
23	40*62*10	COMBI	12011715B
24	40*62*14	COMBI	12001889B
25	40*65*18.5	COMBI	12013226B
26	40*65*27.5	COMBI	12020191B
27	40*68*14	COMBI	12013319B
28	40*68*18.5	COMBI SF13	12013464B
29	42*62*14	COMBI	12001889B
30	42*62*17	COMBI	12001890B
31	42*62*21.5	COMBI SF6	12016507B
32	42*62*23	COMBI	12020023B
33	45*60*16	COMBI	12014997B
34	45*62*11	COMBI	12012296B
35	45*62*11.2	COMBI	12016814B
36	45*65*12	COMBI	12011969B
37	45*65*15	COMBI SF13	12001894B
38	45*65*16	COMBI SF13	12019329B
39	45*65*18.5	COMBI	12012377B
40	45*65*21	COMBI	12013466B
41	45*65*25	RWDR-KOMBI	12018030B
42	45*75*27.5	COMBI	12020036B
43	46*60*16	COMBI	12014997B

44	46*65*16	COMBI	12019329B
45	46*65*21	COMBI	12013466B
46	46.15*80*16.5	COMBI SF6	12016669B
47	47*65*16.5	COMBI	12015734B
48	47*65*19	COMBI	12020133B
49	48*65*11	COMBI	12011991B
50	48*65*16.5	COMBI	12077310B
51	48*65*18.5	COMBI SF6	12017310B
52	48*65*19	COMBI SF19	12036965B
53	48*74*13	COMBI	12001898B
54	48*74*18.5	COMBI	12017349B
55	50*65*18	COMBI	12018616B
56	50*72*16.5	COMBI	12014048B
57	50*75*12	COMBI	12012503B
58	50*80*27.5	COMBI	
59	52*72*16.5	COMBI	12020074B
60	54*81*22	COMBI	
61	55*72*12	COMBI	12011794B
62	55*80*11	COMBI	12013176B
63	55*80*16	COMBI	12013931B
64	55*82*16.5	COMBI	12014159B
65	56*75*16.5	COMBI	12012826B
66	56*75*22.5	COMBI	12037231B
67	56*80*16	COMBI	12018868B
68	57*72*11	COMBI	12013172B
69	58*80*16	COMBI	12012468B
70	58*80*16.5	COMBI	12012468B
71	58*82*15	COMBI	12001902B
72	58*82*16	COMBI	12017237B
73	60*75*16	COMBI	12013740B
74	60*75*17/18.5	COMBI	12036962B
75	60*80*12	COMBI	12012930B
76	62*80*11	COMBI	12013173B
77	65*90*17.5	COMBI	19033621B
78	65*90*20	COMBI SF19	`
79	65*92*14	COMBI	12001903B
80	65*92*18	COMBI	12013465B
81	65*98*15	COMBI	12011697B
82	68*85*12	COMBI	12013339B
83	70*90*16.5	COMBI	12013784B
84	70*95*15	COMBI	12012318B
85	73.01*101.6*14.28	COMBI	
86	74*91*12	COMBI	12013338B
87	75*102*14	COMBI	12001907B
88	75*95*16.5	COMBI	12014456B
89	80*100*18	COMBI	12014976B
90	80*110*16	COMBI	12001908B
91	85*110*16	COMBI	12001909B
92	90*102*13	COMBI	

93	90*120*13	COMBI	12001910B
94	95*120*13	COMBI	12012399B
95	100*130*16	COMBI	12001912B
96	105*125*16	COMBI	12001913B
97	105*130*12	COMBI	12011717B
98	105*140*16	COMBI	12001914B
99	110*130*12	COMBI	12013174B
100	110*130*16	COMBI	12015364B
101	110*150*16	COMBI	12001916B
102	112*140*13.2	COMBI	12001917B
103	120*150*15	COMBI	12001918B
104	120*150*16	COMBI	12001919B
105	125*150*16	COMBI	
106	130*154*18	COMBI	12015132B
107	130*160*16	COMBI	12001919B
108	130*170*16	COMBI	12001920B
109	135*165.5*18	COMBI	
110	136*165.5*16	COMBI	12013067B
111	140*170*16	COMBI	12013788B
112	145*170*16	COMBI	12001922B
113	145*170*18	COMBI	
114	150*170*16	COMBI	12001923B
115	150*176*16	COMBI	
116	155*176*16	COMBI	12001924B
117	165*190*17	COMBI	12001925B
118	170*190*15	COMBI	12013074B
119	170*205*17	COMBI	12012053B
120	180*205*17	COMBI	12011690B
121	190*215*17	COMBI	12015590B
122	190*220*20	COMBI	12001926B
123	210*240*25	COMBI	
124	229*250*20	COMBI	12001928B
125	240*270*25	COMBI	

Types	Features	Performance features	Drawing
Combi Seal Standard	Outside diameter: only metal Dirt deflector made from polyurethane foam Simmerring standard design	Primarily for moderate/high rotational speeds, low axial offset.	
Combi Seal SF5	Outside diameter: only metal Dirt deflector made from polyurethane Simmerring standard design	For moderate/high rotational speeds, low axial offset, against moderate/strong dirt ingress from outside	
Combi Seal SF6	Outside diameter metal only Dirt deflector made from compact polyurethane BA-DUO-Simmerring design	For medium rotational speeds, medium axial offset, against medium/strong dirt ingress from outside	
Combi Seal SF8	Metal and rubber outside diameter Dirt deflector made from compact polyurethane BA-DUO-Simmerring design	Like Combi Seal SF6, with reinforced static sealing and higher possible axial offset.	
Combi Seal SF9	Metal and rubber outside diameter Dirt deflector made from compact polyurethane Rubber dust protection lip BA-DUO Simmerring design	For medium rotational speeds with high axial offset of the shaft, against very strong dirt ingress from outside	



